

# Intersoft WebUI Studio 2011 R2

## Service Pack 1 Release Notes

---

### Installer

#### What's Added

- ClientUI 6 now ships with native Silverlight 5 assemblies.
- Full support for Silverlight 5 development in Visual Studio 2010 such as toolbox registration.
- Silverlight project templates have been enhanced to support Silverlight 5 and WCF RIA Services SP2 (installed with Silverlight 5 Developer Tools).

The enhanced project templates are:

- Silverlight (C# & VB)
  - Intersoft ClientUI MVVM Data Application (DevForce)
  - Intersoft ClientUI MVVM Data Application (WCF RIA)
  - Intersoft ClientUI Desktop Application (WCF RIA)
  - Intersoft ClientUI MVVM Business Application (WCF RIA)
  - Intersoft ClientUI MVVM Business Application (DevForce)
  - Intersoft ClientUI Outlook Navigation Application
  - Intersoft ClientUI Ribbon Application
  - Intersoft ClientUI MVVM Scheduling Application (DevForce)
  - Intersoft ClientUI MVVM Scheduling Application (WCF RIA)
- WPF (C# & VB)
  - Intersoft ClientUI MVVM Data Application (WPF)
  - Intersoft ClientUI MVVM Scheduling Application (WPF)

## ClientUI 6.0.5000.2

### What's Added

- UXGridView: Added an option to turn off context menu through the new EnableContextMenu property.
- UXGridView: The display text of the group column now uses the column header text instead of the entity member name.
- XPSDocumentViewer: Support vector printing mode. (Silverlight 5 only)
- XPSDocumentViewer: Added InitialPageLoad property which determines the number of pages to be loaded initially.
- UXDocumentViewer: Support vector printing mode. (Silverlight 5 only)
- SQLReportViewer: Support vector printing mode. (Silverlight 5 only)
- SQLReportViewer: Can now access images if the Web server and Report server are deployed separately.
- SQLReportViewer: Added an option to hide parameter in ISQLParameterMetaData
- UXFlowDocumentViewer: Support vector printing mode. (Silverlight 5 only)
- UXFlowDocumentViewer: Enhanced to support dynamic image loading in Silverlight 5.
- UXFlow: Added PositionStates and several new properties to customize item appearance based on item position.
- UXRibbonBar: Added TabBarVisibility property to hide the Ribbon's tab bar. This feature is useful when the Ribbon serves as toolbar and has only one tab which is not necessary to be shown to users.

### What's Fixed

- UXGridView: Error will no longer occur when a row is deleted by pressing 'Delete' key.
- UXGridView: ContextMenu item's text now shows correctly when using UXGridViewResource.
- UXGridView: Now works without errors in Microsoft Expression Blend design-time when adding a column/template column.
- UXGridView: In WPF application, right click multiple times in row will no longer freeze the application.
- UXGridView: In WPF application, column footer with currency format is now shown correctly.
- UXGridView: Column footer is no longer moved to next column after ungroup.
- UXFrame: Navigation is now working when pasted NavigateURI path in address bar.
- XPSDocumentViewer: Fixed error 'The property 'Viewport' was not found in type ImageBrush'.
- UXComboBox: In WPF application, UXComboBox can now directly show dropdown with single click.
- UXComboBox: Unselect item now works properly.
- UXFlowDocumentViewer: Extra space is no longer included while the selection is copied to clipboard.
- UXFlowDocumentViewer: The content is now properly persisted after returning from full screen mode.
- UXFlowDocumentViewer: Printing now works properly without errors by using print button.

- UXFlowDocumentViewer: Print results now shown correctly in preview.
- UXFlowDocumentViewer: Content will no longer be switched when hosted in UXWindow.
- UXFlowDocumentViewer: Supports searching for the last word in the document.
- UXRibbon: In WPF Application, mouse over will no longer throw an exception.
- UXSplitButton: The click event is no longer invoked when clicking outside UXSplitButton.
- UXDocumentViewer: Supports highlight the search text completely, not partially.
- SQLReportViewer: Supports RDL report file with language other than en-US.
- UXDragDrop: Icon no longer disappears after the first drag drop in UXDragDrop.
- UXWindow: Window option buttons now automatically appear in UXRibbonGlassWindow when fallback to non-Aero theme.
- UXScheduleView: Using date time format other than en-US will no longer show parsing error.

## **WebDesktop 3.0.7200.436**

### **What's Fixed**

- WebCallOut will no longer show error page when using HTML encode as content.
- WebFlyPostBackManager now can render new node in WebTreeView.
- WebNavPane will no longer show Javascript error when resizing bar grip.

## **WebGrid 7.0.7200.531**

### **What's Fixed**

- ClientSide data formation is now working properly in ClientBinding scenario.
- WebGrid now can resize smoothly in XHTML.
- Height now resizes correctly in HTML doctype when AutoFitColumn is set as true

# Intersoft WebUI Studio 2011 R2

## Release Notes

---

### Installer

#### What's Added

- DevForce 6.1.3.1 is now included in Intersoft WebUI Studio 2011 R2 installer.
- All project templates that use DevForce have been upgraded to use DevForce 6.1.3.1.
- ToolBoxUtility is now moved to Tools folder.
- Added Intersoft SQL Viewer Installer in Intersoft WebUI Studio 2011 R2 installer.
- For more information about the new components and enhancements introduced in this release, please visit <http://www.intersoftpt.com/2011>.

### ClientUI 6.0.5000.1

#### What's Added

- UXScrollViewer now respects handled keyboard-related routed event which improves user experiences for certain input controls that already handle the scrolling behavior.
- Support for nested UXDialogBox in the standalone mode (without UXDesktop).
- Added several layout properties to the UXPage for automatic window host integration such as WindowMinHeight, WindowMaxHeight and so forth.
- Added support for absolute path source in XPSDocumentViewer.
- ContentTransition control now plays Fading animation smoothly when the PerformAnimationOnLoad property is set to true and TransitionDuration is set to >1s.
- UXTreeViewItem is now properly synchronized when the UXPage is loaded externally such as from browser's bookmark or address bar.

#### What's Fixed

- UXGridView: Read-only columns are now not editable using the context menu.
- UXTabControl: In WPF application, the value of DataContext is now properly passed to the content in UXTabControl.
- UXWindow: Showing UXWindow in standalone mode no longer throws an exception.
- UXDialogBox: When nested in third level, UXDialogBox can now be displayed properly.
- UXWindow/UXDialogBox: Window or dialog box is now properly centered in standalone mode although the WindowStartupLocation property is already set to CenterOwner/CenterParent.
- UXScrollBar: In WPF application, exception is no longer thrown when hosted in an UXWindow with classic visual theme.

- Binding to the Visibility property of UXToolBarButton/UXDockButton is now persisted after the button is clicked.
- In XPSDocumentViewer, the Copy button in toolbar now copies the first character of the highlighted text.
- When PagerDisplayMode in UXGridView is set to either PreviousNextNumeric or FirstLastPreviousNextNumeric, the arrow paging buttons in UXGridView are now synchronized with the selected page.
- When AllowNull is enabled in UXCurrencyEditor and the value is deleted using backspace key, the last numeric value will be deleted as well.
- KeyUp and KeyDown gestures now work in UXGridView when it is placed inside UXScrollView.

## WebCombo 5.0.7200.3

### What's Added

- WebCombo now supports client binding scenario with multiple selection and read only mode enabled.

### What's Fixed

- Error does not occur in WebCombo when ClientBinding is used and the data is bound to custom object.
- RenderOnHidden property now works when WebCombo is set to use client binding and WCF service.

## WebDesktop 3.0.7200.336

### What's Fixed

- When using XHTML doctype, error will not occur when WebCallOut is viewed in IE9 browser.
- OnClientClick client-side event of ASP.NET ImageButton control now works when used along with WebFlyPostBackManager.

## WebGrid 7.0.7200.431

### What's Added

- Customizable minimum height when the WebGrid is set to use fluid height mode.

### What's Fixed

- AutoFitColumn now calculates space properly when WebGrid contains invisible checkbox columns.
- Script error will not occur when a calculated editable column is focused.

- Slow running script issue will not occur when RowChecker in WebGrid is checked. Occurs in IE8 browser only.
- Predefined date time filters (such as Today, NextWeek, etc) now work in WebGrid when the Culture property is set to a non US culture.
- The layout of WebGrid will be persisted after full postback when AutoFitColumns is enabled and WebGrid is set to a specific size.
- Filtering is now properly applied in WebGrid when the column data type is System.Decimal.

## **WebTextEditor 1.0.1000.35**

### **What's Fixed**

- When using XHTML doctype, the textarea is now focused when user switches to HTML view. Occurs in IE9 browser only.
- BR tag will now be closed properly when user switches from HTML view to Design view and vice versa.

# Intersoft WebUI Studio 2011 R1 SP1

## Release Notes

---

### Installer

#### What's Added

- DevForce 6.1.0 is now included in Intersoft WebUI Studio 2011 R1 SP1 installer.
- DevForce 6.1.0 will be installed when UAC is enabled.
- UXGridView C# sample for WPF now runs without error when used with DevForce 6.1.0.
- Enhanced Contacts MVVM C# sample and Contacts MVVM DevForce C# sample.

### ClientUI 5.0.5000.2

#### What's Added

- Supports Microsoft Visual Studio LightSwitch Beta 2.
- Implemented a fully-functional event aggregator to simplify communication across multiple View Models.
- Added full native query support for DevForce 6.1.0.
- UXFrame: Supports navigation to an external UXPage with authentication enabled.
- UXFrame: Added new UriMappingScope property to support local URI mapping definition in an externally loaded application package (XAP).
- UXGridView: Added Hyperlink column type in UXGridViewColumn.
- UXGridView: Added CanUserBatchUpdate property that determines whether batch update feature is enabled.
- UXMenuBar: Added NavigateUri property for navigation purpose.
- XPSDocumentViewer: Added search-on-demand feature which work together with background loading.
- XPSDocumentViewer: Added document streaming feature, allowing large XPS documents to be retrieved instantly.

#### What's Fixed

- UXWindow: Fixed critical memory leak issue.
- UXGridView: Selected rows now return the correct collection.
- UXGridView: When AutoGenerateColumn is enabled and users select a row, UXGridView will not refresh itself automatically.
- UXGridView: When UXGridViewExpanderColumn is used and IsBusy is enabled, 'Cannot resolve TargetName StylishLabel' error will not occur.
- UXGridView: When DevForce trigger verification is used, UXGridView will not freeze.

- UXStackButton: Now renders correctly when using RightToLeft flow direction.
- UXNavigationButton: In WPF application, the value of ExtraData parameter in OnNavigatedTo event is now available.
- UXWindow: The cursor will not be set to resize cursor after restored from UXDock.

## **WebGrid 7.0.7200.430**

### **What's Added**

- ClientBinding now supports all server data operations such as paging and filter in WCF service.
- Multiple level grouping is now supported when the ClientBinding and GroupRowPaging features are enabled.

### **What's Fixed**

- AutoFitColumn now calculates space properly when WebGrid contains invisible checkbox columns.

## **WebCombo 5.0.7200.2**

### **What's Fixed**

- "Loaded Rows x of y" status is incorrect when filtered using AlwaysShowAllRowsOnDropDown set to true.

## **WebDesktop 3.0.7200.335**

### **What's Fixed**

- Postback now will not be invoked if OnClick client-side event returns false.

## **WebInput 4.0.7200.29**

### **What's Fixed**

- Decimal value is now persisted during postback action when WebInput is used in non-English culture.

## **WebScheduler 3.0.1000.31:**

### **What's Fixed**

- In GMT +1 time zone where Daylight Saving Time is enabled, WebScheduler will now navigate to the correct date in Timeline 15-minutes view.

## **WebTextEditor 1.0.1000.34**

### **What's Fixed**

- The HTML tag for YouTube videos added in HTML view will be persisted when users switch to Design view.

# Intersoft WebUI Studio 2011 R1

## Release Notes

---

### What's New in 2011 R1

Intersoft ClientUI 5 adds over 30 new controls to its already comprehensive tools portfolio for the Silverlight and WPF application development. ClientUI 5 delivers a vast array of advanced controls essential to building line-of-business applications, ranging from a powerful grid view, tree view, and resizable layout to an Outlook-style navigation pane and rich document viewers. The new release also adds significant enhancements to the existing controls as well as new framework features across Silverlight 3, Silverlight and WPF platforms. To learn more about the new controls and enhancements in ClientUI 5, see [What's New in ClientUI 5](#).

### ClientUI 4.0.5000.4

#### What's Added

- Improved memory management for all ClientUI controls (Silverlight and WPF).
- ContentTransition now supports lazy loading when SetContent is called before the control template is applied.
- Supports navigation to external application package which contains nested frame (WPF).
- UXHyperlinkButton now supports data binding on the Content property, and improved text rendering when ShowUnderline is enabled.
- Changing ItemsSource now properly reflecting the UI of the SelectedValue in UXComboBox.
- WindowTitle, WindowWidth and WindowHeight properties in UXPage are now applied to WPF Window.
- UXHyperlinkButton now supports external URIs in Silverlight out-of-browser application.
- Added Dropltems property in all draggable controls that will be filled with dropped items object.
- Added NavigationState dependency property to support nested navigation in Silverlight out-of-browser and WPF application.
- Supports external application package in ClientUI navigation framework (WPF).
- ClientUI navigation framework in WPF now supports global navigation state to match Silverlight's browser capability.
- ClientUI navigation framework in WPF now supports child navigation, virtual URI and navigation to external assembly/zip package.
- Added EnableReflection property in UXFlowItem that is used to enable reflection in UXFlowItem.

#### What's Fixed

- Null value can now be set as the initial value of UXDateTimePicker.
- Null value can now be set as the initial value of UXNumericUpDown.

- The Back button of UXJournalButton can now navigate to empty Uri (WPF).
- When IsSaveMasked property is disabled at runtime in UXMaskedInput, the mask value is now removed from the input value.
- The value of UXDateTimeUpDown can now be updated when IsEditable property is set to false.
- Custom style of UXRatingItem is now applied in UXRating.
- KeyNotFoundException error will not occur when using UXSearchBox in WPF.
- NavigationContextExtended.QueryString is now populated when the page was navigated from an external application through ClientUI application framework.
- UXWindow will not throw an exception when the WindowStartupLocation property is set to CenterScreen. Occurs in WPF only.
- Navigating to a XAML using UXDesktopDockButton now works properly. Occurs in WPF only.
- Calling Focus method on UXPasswordBox before Loaded event will not throw an exception.
- Navigation Framework (UXFrame) will not throw an error in WPF desktop project.
- Error will not occur when performing drag drop action using right click.

## WebGrid 7.0.7200.419

### What's Added

- Enhanced masking for decimal placement format and improved rounding strategy for currency editing in WebGrid.
- Supports templated cell when batch update is enabled.

### What's Fixed

- Standalone WebDialogBox is now working properly when used together with WebGrid that enables batch update and review changes features.
- The action specified in RowLostFocusAction is now invoked when users click on the WebGrid's scrollbar to lost focus.
- Editing mode now cannot be activated when WebGrid is disabled at runtime.
- The value of HeaderWrapDefault property is now used in rendering WebGrid when DefaultStyleMode property is set to values other than Elegant.
- Error will not occur when ColumnSet layout is used and AutoFitColumn is enabled.
- The Filter context menu is now displayed property after scrolling down the rows in WebGrid.
- The Freeze Pane command in column context menu now honors the MaxFrozenColumns setting.
- Paging slider bar can now be dragged after WebGrid is refreshed using RefreshAll client-side API.
- The cell text in new row will now use elipsis text when the page is using XHTML doctype.

## WebCombo 4.0.7200.233

### What's Added

- Added OnHideDropDown client-side event that will be invoked when the result box is about to be closed.
- Added LoadMoreKeyGesture property that enables users to load more data by pressing Down arrow key, instead of PageDown key.

### What's Fixed

- The controlId parameter in OnKeyDown client-side event now returns the correct value.
- Programmatically adding new row in client-side now works properly when MultipleSelection is enabled and TextBoxMode is set to ReadOnly.
- The search image is now displayed properly when the height of WebCombo is larger than 20px.

## WebDesktop 3.0.7200.324

### What's Added

- WebPaneManager now shows loading indicator when the content is navigated programmatically using SetContentURL method.

### What's Fixed

- WebFlyPostBackManager now returns the correct month for DateTime-typed data in DataTable Requires WebUI.NET Framework 3.0.5000.769 or higher.
- Setting MenuWindowType to Normal in WebToolBar no longer causing issue to the default style.
- Taskbar button size is now consistent when there are a large number of open windows in WebDesktopManager.
- WebFlyPostBackManager now gets the correct collection of selected items in ListBox control where the ListBox is using multiple selection mode.
- The AddRemoveOptionMenu in WebMenu is now displayed correctly based on the active value.
- Expand and Collapse client-side API now works in WebPaneManager.
- ContextMenu in WebGrid now works properly when hosted inside WebPaneManager and the page is using XHTML doctype.
- WebDialogBox overlay layer now fully covers the page when the browser is resized.
- WebCallOut can now be rendered in flypostback mode when ContentMode is set to UseTemplate.
- Error will not occur when closing WebDialogBox and IntegratedToDesktopManager is used. Occurs only in IE.

## **WebTextEditor 1.0.1000.23**

### **What's Added**

- Supports anchor hyperlink in WebTextEditor.

### **What's Fixed**

- WebTextEditor layout is now persisted when printing WebTextEditor in IE 7 browser.
- WebFileUploader now works when contained in a user control.

## **WebScheduler 3.0.1000.20**

### **What's Added**

- Users are no longer allowed to edit the categories when AllowAdd, AllowEdit, and AllowDelete properties are disabled.

### **What's Fixed**

- Recurring event can now be updated correctly when the multiple selection in Categories WebCombo in built-in editing form is disabled.

## **WebInput 4.0.7200.18**

### **What's Fixed**

- SetReadOnly client-side API now works in WebInput.

# Intersoft WebUI Studio 2010 R2

## Release Notes

---

### WebGrid 7.0.7200.416

#### What's Added

- Added ability to get the parent key value in batch update event, when hierarchical configuration is enabled.
- RetrieveClientLastSelectedObject server-side method can now return GroupHeader row along with its Parent information.
- Column freezing feature now works properly when the WebGrid is hosted in pages that use XHTML document type.
- Enhanced column freezing feature for non IE browsers. Applied to both XHTML and Transitional document type.
- Support column freezing using different DPI font size setting in various browsers.
- Updated localization for Chinese language, which includes several culture variants such as Taiwan, Singapore, Hongkong and China Republic.

#### What's Fixed

- Slider paging now works when client binding and batch update are enabled and Chinese culture is used in WebGrid.
- When users edit a cell that uses Slider custom editor, OnExitEditMode client-side event is now invoked.
- When batch update is enabled, Review Changes window will now calculates its display position based on the scroll position.
- Error will not occur when deleting a row when batch update is enabled and CellClickAction set to CellSelect.
- The data in new row is now persisted when users navigates to a cell that uses WebInput as its custom editor.
- Exception will not occur when FormatConditions is used in conjunction with BatchUpdate and AllowAddNew feature.
- ResizeBestFit command now works properly when WebGrid is placed in a page that uses XHTML document type.
- Script error will not occur when column freezing is enabled and WebGrid is scrolled to the right edge.
- Custom editor now works after RefreshAll client-side function is invoked in WebGrid.
- Script error will not occur if GoToFilterRow client-side function is called in AfterInitialize client-side event.

- Script error will not occur when navigating up using keyboard keys to the parent row which does not have a child in a hierarchical WebGrid.
- Horizontal scrollbar will not be shown when WebGrid columns are resized to a smaller width and WebGrid is placed in a page that uses XHTML document type. Occurs only in IE browser.
- GetRowCount client-side function now returns the correct value when row addition is subsequently performed after delete action in batch update scenario.
- Script error will not occur when showing the context menu of a column in grouping mode.
- GroupHeader row type is now reported as Record in RowChanged server-side event.
- When classic paging is enabled and WebGrid does not contain any row, the "There are no rows in this view" message will be displayed properly.
- The checked rows are now persisted when users navigate between pages and composite key is used in WebGrid.
- Removing a column from the view and add it subsequently will not cause script error in WebGrid with client binding enabled.
- Script error will not occur when users ungroup a hidden column using context menu.
- The [Caption] variable in RowGroupInfoFormat is now properly translated to the specified value when the data is exported.
- The modified check box value is now reset to its previous value when undo all changes action is performed.
- The first column can now be freezed using content menu in a hierarchical WebGrid.
- When UseValueListForSorting is enabled in a column and the column is grouped, the row state of the rows will now be set to Unchanged.
- Users can now unselect columns using context menu when there is at least one column set as unselectable.
- Script error will not occur when batch update is enabled and users try to hide a column that was previously edited.
- The check box in the first row of WebGrid is now checked when the checkbox in the column header is checked. Occurs in Firefox Mozilla only.
- Group rows are now displayed properly when virtual paging mode is enabled and WebGrid is hosted in pages that use XHTML document type.
- Error will not occur when batch update is enabled and columns use different value as its Name and DataMember properties.
- OnAcceptAllChanges client-side event is now invoked when users click on the "Accept All Changes" button in the "Review Pending Changes" dialog box.
- Script error will not occur when adding a new row in an empty grid where client binding is enabled and it is bound using WebService.

## **WebEssentials 1.0.1000.14**

### **What's Fixed**

- Script error will not occur when users performs drag and drop outside WebListBox area when SelectionMode is set to Single.
- Script error will not occur when loading pages that contain WebListBox and WebSlidingMenu instances.
- The images in WebListBox can now be retrieved properly when AllowDefaultStyleMerging is disabled.

## **WebScheduler 3.0.1000.18**

### **What's Fixed**

- Users will be prevented from navigating from Agenda view to Day view when Day view is disabled.
- Users can now disable the multiple selection configuration of Category WebCombo in editing form.

## **WebCombo 4.0.7200.232**

### **What's Fixed**

- When users select a row in WebCombo where multiple selection is enabled and lost focus, the value of that row will not duplicate in WebCombo.

## **WebInput 4.0.7200.17**

### **What's Fixed**

- Error will not occur when WebInput with datetime format specified is placed inside ASP.NET AJAX Update Panel and full postback is invoked.
- The oldValue and newValue parameters in OnBeforeValueChanged client-side event will not contain the correct value.
- The AM/PM value is now updated properly when users navigate through the time using keyboard keys.

## **WebTreeView 1.0.1500.233**

### **What's Fixed**

- A node can now be unselected and selected on subsequent clicks.

# Intersoft WebUI Studio 2010 R1 Service Pack 1 Release Notes

---

## ClientUI 3.0.5000.11

### What's New

- Comprehensive MSDN-style product documentation, complete with 150+ walkthroughs and overview topics.
- Seamless integration to Help Viewer library.
- F1 contextual help integration with Visual Studio 2010's designer and code view.
- Added RelativeToProperty property in UXPopup allows binding from XAML markup.
- Enhanced RequiresRole feature in UXPage to support multiple roles assignment using comma delimited separator.
- Added isolated storage management API that works in conjunction with ClientUI Application Framework.
- BasePackage now implements INotifyPropertyChanged to support MVVM pattern.
- Added FindWindow API to UXDesktop control.
- Enhanced UXPopup for performance improvement when tremendously used in a page.
- Enhanced UXStackButton for performance improvement when tremendously used in a page.
- Support application assembly fallback in runtime to support modular loading.

### What's Fixed

- UXComboBoxItem can now be selected properly when focused using keyboard (Tab key).
- ExpandableGroupBox can now be initially collapsed when IsExpanded property is set to false (WPF only).
- OverflowHandleVisibility now works as expected in UXToolBar, particularly when AsNeeded and Collapsed value is used.
- Fixed a minor issue in Visual Studio designer which inadvertently hides the Command property of standard Button.
- BusyIndicatorTemplate now shows properly in UXWindow and all derived windowing controls.
- The PasswordChar property of UXPasswordBox can now be changed directly in Visual Studio's property window.
- Button controls with IsToggleButton behavior now works properly when it is checked initially.
- RearrangeWindows API in UXDesktop now properly cascading the windows layout.
- UXButton is not shown as checked although IsChecked is set to true (WPF only).
- Fixed minor issue in ScrollViewer where the events are not attached in certain circumstances.
- Fixed several issues in UXFrame related to IsBusy and GetActiveNestedPage when used with UXPageLoader.

## Presenter 3.0.5000.11

### What's Fixed

- Data will now be displayed properly when GridPresenter is bound to an ObservableCollection data and DisplayStatusBar is set to No.
- When paged data is bound to GridPresenter, it will now show the complete row of the page.

## WebScheduler 3.0.1000.7

### What's New

- Added MaxJsonLength key to specify the maximum JSON data length that can be sent to client. Requires WebUI.NET Framework 3.0.5000.756 or higher.
- Added IsModeFieldRequired property that specifies whether Mode (Importance) field is required.

### What's Fixed

- When users uncheck a resource in Split view, the resource columns will now be rendered correctly.
- When EnableSplitViewInitially is set to True, scheduler section is now scrolled to the selected time during first load.

## WebTextEditor 1.0.1000.11

### What's Fixed

- When WebTextEditor is placed inside a user control, the toolbar is now loaded on the first load.
- WebSpellChecker images are now displayed properly when the application is deployed in https mode. Requires WebUI.NET Framework 3.0.5000.756 or higher.
- WebSpellChecker now highlights incorrect words that end with dot.
- Changing font style to Lucida Sans Unicode now works properly when WebTextEditor runs in IE browser.

## WebGrid 7.0.7200.405

### What's Fixed

- Script error will not occur when showing WebGrid during AJAX postback.
- RowGroupInfoFormat [Caption] will now use the Caption property during export action.
- Script error will not occur when pressing Home and End keys in new row when CellClickAction property is set to CellSelect.
- Child table's column headers are now properly aligned when WebGrid runs in IE7 browser with XHTML doctype.

## **WebDesktop 3.0.7200.311**

### **What's Fixed**

- Showing hidden WebMenuBar using AJAX update panel now will not remove the client style and action behavior.
- Error will not occur during mouse operation when Ajax Pro 2 Framework is used with WebDialogBox.

## **WebInput 4.0.7200.6**

### **What's Fixed**

- When using specific cultures that use comma as a decimal separator, the leading zero will not be removed when the value is zero.

## **WebTreeView 1.0.1500.222**

### **What's Fixed**

- Page\_Load server-side event now will not be invoked multiple times when AutoCheckedChildNodes property is set to True and PostBackMode property is set to FlyPostBack.

# Intersoft WebUI Studio 2010 R1

## Release Notes

---

### WebCombo 4.0.7200.220

#### What's Fixed

- WebCombo now properly treat plus and minus sign as a literal text in auto filter mode.

### WebDesktop 3.0.7200.310

#### What's New

- Support displaying hidden ASP.NET Panel during FlyPostBack action using WebFlyPostBackManager.

#### What's Fixed

- WebCallOut client-side event can be triggered after FlyPostBack is invoked using WebFlyPostBackManager.

### WebGrid 7.0.7200.403

#### What's New

- Added UndoChanges client-side API in WebGridCell level to undo the changes made on a specific level.

#### What's Fixed

- After dropping and removing fields in WebGrid's pivot chart mode, the localized chart labels revert back to the default language.
- StackOverflow exception will not occur when paging is enabled and LoadTableStructureFromXml method is used.
- Error will not occur when expanding the child row if the object relation definition and object type information are specified externally.
- Script error will not occur in self-reference WebGrid when full postback is invoked and batch update is enabled.
- Filter cell with DropDownList or WebCombo as its filter editing control now shows the correct text when WebGrid exits editing mode.

## WebInput 4.0.7200.4

### What's Fixed

- WebInput can now accept the dot input from Numeric keyboard.
- The numbers inputted using calculator editor is now persisted during full postback action.
- When quick date is used to input date and postback action is invoked twice, an error will not occur.
- Users are now prevented from inputting characters more than the maximum character length allowed.

## WebScheduler 3.0.1000.5

### What's New

- More text in Month view can now be customized using MoreText property under TextSettings category.
- Added double click event behavior for events displayed in detail box.
- Improve the event rendering logic in Day, Week, and Split views when time interval is enabled.
- Time-based events that occur in a day and ends at 12:00 AM is now considered as one-day event, thus will be rendered as an event that has one day duration in all view.
- Added CacheBackgroundColor client-side API to cache the normal background color of the selected cell. This client-side API can be used when custom background color is set to selected cells and the color setting needs to be persisted when users select another cell.
- The day names header in Year and Quarter views is now automatically scrolled when the content is scrolled.

### What's Fixed

- Events will not disappear when the view mode is switched and the FirstDayOfWeek property is set to Saturday.
- Configuring ShowAllDayArea property to False will not completely hide all-day event area.
- The cell in Timeline view are now correctly highlighted when the first cell in calendar is clicked and FirstDayOfWeek is set to Monday.
- Error will not occur when opening editing form if it is placed inside WebDesktopManager or WebTab.
- Events created for hidden resources will not be rendered.
- The timeline cells are now rendered properly when SelectedTimelineViewMode is set to DayHourly and there is an event ending exceeding the selected date.
- Context menu can now be displayed when WebScheduler is placed in an IFrame and the page is run using IE7 browser. Requires WebDesktop.NET 3.0.7200.310 or higher and WebUI.NET Framework 3.0.5000.753 or higher.
- Error will not occur when custom DayHeaderStyle is specified.
- Disable time style will now be applied to the disabled cells although it is the today cell.

- Improve GetCellElements logic to retrieve the correct cells in Year and Quarter views.
- Error will not occur when today date is being viewed in Day, Week, or Split views and the current hour is outside the visible hours.
- The calendar is now displayed properly after switching from Quarter or Year view to other views.
- The text in the first cell header in Split view is persisted when users navigate to other date using calendar.
- SchedulerTodayHeaderStyle is now persisted when the today header cell is hovered. Occurs in Safari and Chrome browsers only.

## **WebTextEditor 1.0.1000.9**

### **What's New**

- Improve the UI and editing behavior in Opera 10 browser.
- Improve the word count logic.

### **What's Fixed**

- Media tag will now be added to the editor when it is inserted using media command in HTML view.
- When mail merge feature is enabled, WebTextEditor control can now be viewed without error in Visual Studio's design view.
- Improve the navigation button in WebSpellChecker's dialog box when the page runs in Safari and Chrome browsers.

## **WebTreeView 1.0.1500.221**

### **What's New**

- Enhance multiple nodes selection using Ctrl and Shift keys.

### **What's Fixed**

- Deleting a newly-added node will not delete all visible nodes.